

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office MAY 18 2005

Returned to applicant for correction JUL 05 2005

Corrected application filed \_\_\_\_\_

Map filed JUL 14 2005

\*\*\*\*\*

The applicant **Dayton Valley Community Church of the Nazarene, a Nevada Corporation** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if copartnership or association give names of members). **Nevada, June 14, 2001**

\*\*\*\*\*

1. The source of the proposed appropriation is **underground**
2. The amount of water applied for is **0.0333 c.f.s. (2.02 AFA)** second-feet
  - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Quasi-municipal**
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated
  - (b) Stockwater, state number and kinds of animals to be watered
  - (c) Other use (describe fully under No. 12. "Remarks")
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE $\frac{1}{4}$ SW $\frac{1}{4}$  Section 28, T.17 N., R.22 E., MDM, or at a point from which the SW corner of said Section 28 bears South 82° 52' 01" West, a distance of 1,839.57 feet.**
6. Place of Use **Lot 7 of Mark Twain Estates Unit 4 being 2.70 acres in the SE $\frac{1}{4}$ SW $\frac{1}{4}$  Section 28, T. 17 N., R. 22 E., M.D.M. as shown on the supporting map.**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **Well, pump, motor, pressure tank and distribution system.**
9. Estimated cost of works **\$20,000**
10. Estimated time required to construct works **2 years**
11. Estimated time required to complete the application of water to beneficial use **5 years**
12. Remarks: **Water is for a proposed church to be built on the property. The nearest water main is approximately 1,200 feet away and the costs for the church to extend and connect**

would be prohibitive. Proposed uses include approximately 0.33 acres of landscape and church services, evening programs, a church office, and other church activities growing to serve approximately 500 people. Child care and / or a pre-school are also being considered as the congregation grows.

By Bruce R. Scott, P.E., Resource Concepts, Inc.  
s/Bruce R. Scott  
340 North Minnesota  
Carson City

Compared sg/sam dl/gkl

Protested

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit is for service at Lyon County APN 19-265-07. Any water not put to beneficial use will return to the groundwater source and not be subject to any further transfers.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.033 cubic feet per second, **but not to exceed 2.02 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

**March 6, 2008**

Proof of completion of work shall be filed on or before:

**April 6, 2008**

Water must be placed to beneficial use on or before:

**March 6, 2011**

Proof of the application of water to beneficial use shall be filed on or before:

**April 6, 2011**

Map in support of proof of beneficial use shall be filed on or before:

**N/A**

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 6th day of March, A.D. 2006

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_ N/A \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_